

However the optimization process can only be done by using a coupled optimization tool. The calculated pay-back period of the drive structures with exhaust-air recovery system is less than 2 years.

As shown in this article pneumatic drive systems often hold significant saving potentials. Drive systems with energy saving solutions can utilize these potentials within a manageable pay-back period.

7 Acknowledgement

The content of this article was developed within the project „Verbesserung der Energieeffizienz pneumatischer Handhabungssysteme“, that was funded by the Fluid Power Research Fund of VDMA, the German Engineering Federation, FKM Nr. 702520.

Nomenclature

Designation	Denotation	Unit
c_p	Specific isobare heat capacity	[J/kg·K]
d	Diameter	[m]
E	Energy	[J]
E_{ex}	Exergy	[J]
\dot{E}_{ex}	Exergy flow	[J/s]
k	Thermal transmittance	[W/m ² ·K]
m	Mass	[kg]
\dot{m}	Mass flow	[kg/s]
n	Polytropic coefficient	-
p	Pressure	[Pa]
p_0	Ambient pressure	[Pa]
R	Specific gas constant	[J/kg·K]
s	Stroke	[m]
T	Temperature	[K]
T_0	Ambient temperature	[K]
V	Volume	[m ³]
x	Displacement	[m]
\dot{x}	Velocity	[m/s]
κ	Isentropic coefficient	-
ρ_0	Density of the ambience	[kg/m ³]

References

[1] M CAI, and K Kawashima, T Kagawa. *Power Assessment of Flowing Compressed Air*. Published in Journal of Fluids Engineering, Transactions of the ASME, Vol.128, No.2, 2006.

[2] J Hepke, and J Weber. *Energiesparende Pneumatik*. fluid Markt 2013, 83-89, 2012.

[3] W T Bader, and J K Kissock. *Exergy Analysis of Industrial Air Compression*. Proc. from the 22th National Industrial energy Technology Conference, Houston, 2000.

[4] N N. *EnEffAH - Energy Efficiency in Production in the Drive and Handling Technology Field*. final report, 37-44, 2012.

[5] C Ferraresi, and W Franco, and G Quaglia, and M Scopesi. *Energy Saving in Pneumatic Drives: An Experimental Analysis*. Proc. from the 9th International Workshop on Research and Education in Mechatronics, Bergamo, 2008.

[6] E Köhler, and E Zipplies. *Pneumatische Antriebskonzepte unter dem Gesichtspunkt der Energieoptimierung und der Verbesserung der Dynamik*. Proc. from Viertes Deutsch-Polnisches Seminar: Innovation und Fortschritt in der Fluidtechnik, Chemnitz, 2001.

[7] M Doll, and O Sawodny. *Energy Efficient Adaptive Control of Pneumatic Drives with Switching Valves*. Proc. from the 7th International Fluid Power Conference, Dresden, 2012.

[8] J Hepke, and J Weber. *Improving Energy Efficiency of Pneumatic Handling Systems*. Proc. from the 7th International Fluid Power Conference, Dresden, 2012.

[9] K-H Grote, and J Feldhusen. *Dubbel – Taschenbuch für den Maschinenbau*. 22th Edition, Springer-Verlag Berlin Heidelberg New York, D 29, 2007.

[10] H P Schwefel. *Numerische Optimierung von Computer-Modellen mittels der Evolutionsstrategie*, Birkhäuser Verlag, Basel und Stuttgart, 1977.